

FUJIFILM
OFFICIAL IMAGING SPONSOR




digital
Tools for the imagination.

**2.0 MEGA
PIXELS**

**MP3
MUSIC**


DIGITAL CAMERA
FinePix 30i
New



***Multimedia FinePix
to Take Everywhere!***

FinePix

FUNCTIONS



SPECIFICATIONS

DIGITAL CAMERA FinePix 30i

| | |
|------------------------------------|--|
| Number of effective pixels* | 2.0 million pixels |
| CCD sensor | 1/2.7-inch square pixel CCD with RGB filter (Number of total pixels: 2.11 million pixels) |
| Number of recorded pixels | 1600 × 1200 / 1280 × 960 / 640 × 480 pixels |
| File format | Still image: JPEG (Exif Ver 2.1) Movie: AVI (Motion JPEG) [Design rule for Camera File system compliant/DPOF-compatible] |
| Storage media | SmartMedia™ cards (3.3V, 2MB to 128MB) Note: For music function, SmartMedia™ cards with ID (3.3V, 16MB to 128MB) |

| Number of images | Still image (2400 × 1800 pixels) | | | Movie | Audio |
|---------------------|----------------------------------|--------|-------|----------|----------|
| Modes | Fine | Normal | Basic | — | — |
| Image quality modes | | | | | |
| MG-4S | 4 | 9 | 19 | 23 sec. | 8 min. |
| MG-8S | 10 | 19 | 39 | 47 sec. | 16 min. |
| MG-16S/SW | 20 | 39 | 75 | 94 sec. | 33 min. |
| MG-32S/SW | 41 | 79 | 152 | 191 sec. | 67 min. |
| MG-64S/SW | 82 | 159 | 306 | 385 sec. | 135 min. |
| MG-128SW | 166 | 319 | 613 | 774 sec. | 272 min. |

The data sizes and numbers of available shots will vary slightly depending on the type of subject.

| | |
|-------------------------|---|
| Lens | Fujinon Lens, equivalent to 38mm on a 35mm camera |
| Focus distance | Normal : 0.6m / 2.0ft. to infinity Macro : 8cm/3.1in. to approx. 15cm/5.9in. |
| Aperture | F4.8/F11 |
| Viewfinder | Optical viewfinder |
| Exposure control | 64 zone TTL metering, Programmed AE (Exposure compensation in Manual mode) |
| Sensitivity | Equivalent to ISO 100 |
| Shutter speed | 1/2 to 1/1,000 sec. |
| White balance | Automatic Manual [Fine, Shade, Fluorescent light (Daylight), Fluorescent light (Warm White), Fluorescent light (Cool White), Incandescent light] |
| Flash | Auto flash using flash control sensor Effective range: Approx. 0.7m/2.3ft to 3.0m/9.8ft Flash mode: Auto, Red-eye Reduction, Forced Flash, Suppressed Flash, Slow Syncro |
| LCD monitor | 1.8-inch D-TFT (72,000 pixels) |
| Interface | USB |
| Power source | 2 AA-size Ni-MH rechargeable batteries, AC power adapter(optional) |
| Dimensions | 84.7 (W) × 72.5 (H) × 29.5 (D) mm / 3.3 (W) × 2.9 (H) × 1.2 (D) in. |
| Weight | 150g/5.6oz (excluding batteries) |
| Camera functions | Digital zoom: 2.5X (640 × 480 mode), 1.25X (1280 × 960 mode), Shooting mode: Auto, Manual Movie recording: 320 × 240 pixels, 10 frames/sec, up to 20sec, with sound, AVI (Motion JPEG) format Audio recording: Max. approx. 4.5hrs with 128MB SmartMedia™ card, WAV format Voice captioning: Up to 30 sec, WAV format Playback: Single Frame (with max. 5X Playback Zoom)/9 Multi-frame Others: Self-timer, Sound-sync, Shooting, DPOF, PC camera |
| Music functions | Storage media: SmartMedia, card with ID (3.3V, 16MB to 128MB) Music format: MP3 (Sampling rate: 44.1 kHz, Bit rate: 128/112/96kbps) Copyright protection method: InfoBind* * "InfoBind" is jointly developed by Nippon Telegraph and Telephone East Corporation (NTT-East), Nippon Telegraph and Telephone Corporation (NTT) and Kobe Steel, Ltd. It provides safe and secure network transmission of copy-right material and prevents illegal copying by binding the contents in a SmartMedia™ card with unrewritable media ID. |

| Recording time | Music (SmartMedia™ card with ID only) | | |
|----------------|---------------------------------------|----------|----------|
| Quality modes | 128kbps | 112kbps | 96kbps |
| MG-16SW | 15 min. | 18 min. | 20 min. |
| MG-32SW | 30 min. | 35 min. | 40 min. |
| MG-64SW | 60 min. | 70 min. | 80 min. |
| MG-128SW | 120 min. | 140 min. | 160 min. |

The recording time will vary slightly depending on the type of audio.

Apple and Macintosh are registered trademarks of Apple Computer Inc. QuickTime and QuickTime logo are trade marks used under license. The QuickTime logo is registered in the U.S. and other countries. Windows and Media Player are registered trademarks of Microsoft Corporation. Adobe is a registered trademark of Adobe Systems, Inc. RealJukebox 2 Plus is a trademark of RealNetworks, Inc. All other trademarks are the property of their respective holders.

| | |
|--------------------------------------|---|
| Accessories included | 2 AA-size Ni-MH batteries Ni-MH battery charger Shoulder strap USB cable Headphone with remote controller CD-ROM • USB driver, FinePixViewer, DP Editor • Apple QuickTime 5.0 • VideoImpression • RealJukebox 2 Plus for Windows • MacMP3 for Macintosh |
| Operating system requirements | Windows 98, 98SE, 2000 Professional, Me or XP Mac OS 8.6 – 9.2 or OS X (10.0.4 only. Note that when using FinePixViewer for Mac OS X, the print function and AVI movie play back function cannot be used.) |

* Number of Effective pixels: The number of pixels on the image sensor which receive input light through the optical lens, and which are effectively reflected in the final output data of the still image.

Specifications are subject to change without notice.

OPTIONAL ACCESSORIES



Image Memory Card
MG-4S
MG-8S
MG-16S/SW
MG-32S/SW
MG-64S/SW
MG-128SW



AC Power Adapter
AC-3V



Floppy Disk Adapter
FD-A2



Battery Charger with Battery
BK-NH
• Charged in approx. 2 hours,
• With Euro type or UK type plug



PC Card Adapter
PC-AD3



Rechargeable Battery
2HR-3UF
• 2 × AA-type Ni-MH



Image Memory Card Reader
SM-R2



Soft Case
SC-FX30

For more information on the full range of Fujifilm digital products, please visit our Website: <http://home.fujifilm.com>

FUJIFILM

FUJI PHOTO FILM CO., LTD.

26-30, NISHIAZABU 2-CHOME, MINATO-KU, TOKYO 106-8620, JAPAN

Ref. No. EB-113E (SK-01-09-DT-MW) Printed in Japan © 2001 Fuji Photo Film Co., Ltd.



Fine mode, 1600 × 1200 pixels, 1/30 sec, f/4.8, ISO 100 equivalent

Digital Camera

2.0 Million Effective Pixels

The FinePix 30i assures clear, natural color image quality using 2.0 million effective pixels. Detail remains crisp throughout your images even after enlargement to 6" × 8" print size.

2.5X Digital Zoom

The FinePix A30i features a 2.5X digital zoom function (in 640 × 480 pixel mode), bringing you closer to your subjects.

Easy-to-Use Design



Simply sliding open the stylish lens cover readies the camera to take great-looking pictures. Just point the camera and press the shutter. The FinePix 30i automatically controls all parameters for shooting quality pictures; auto exposure automatically selects the optimum aperture and shutter speeds, while intelligent auto white balance adjusts for the type of lighting to give you perfect colors each time. For extremely close-up shots, the Macro Mode lets you move in as close as 8cm (3.1 inch).

Enjoyable Playback Functions

The FinePix 30i's 1.8-inch color LCD makes picture-taking easier and more enjoyable, allowing you to view pictures or movies immediately after taking them. The FinePix 30i offers impressive image playback options including single frame, 9 multi-frame and 5X zoom (max.).

Low Power Consumption

The FinePix 30i utilizes two Ni-MH (Nickel Metal Hydride) AA batteries. Reflecting a thorough reassessment of power consumption efficiency, the FinePix 30i is capable of taking a maximum of 300 shots in standard usage* or approx. 5,400 shots in succession** when the provided batteries are fully charged.

* When the LCD monitor is set to "Off", taking shots in 1M mode at 30 sec. intervals, half of them with the flash set to "Off".
** When shooting successively for 3 hours in 640 × 480 mode with the LCD monitor and flash set to "Off".



Simulated LCD display image

Easy Connection with PCs

The USB connection and the included FinePixViewer software make it easy to download picture, movie or audio files to your PC. Connecting the camera to the PC

causes the software to automatically start up. The FinePix Viewer also lets you connect to Fujifilm's Internet services, while the included "PictureHello" utility software turns the FinePix 30i into a Webcam.

* PictureHello can be used between certain types of FinePix cameras with PC camera functions.



Simulated display image

Multi-functional Digital Fun with the FinePix 30i!

Actual Size



DIGITAL CAMERA

FinePix 30i

Digital cameras are already expected to do much more than just take photographs. In addition to capturing excellent images, they now incorporate value-added multimedia functions. The FinePix "i" series always offers leading-edge multimedia functions to bring a new level of enjoyment to digital camera use.

The FinePix 30i is a fun, easy-to-use and highly compact digital companion that you will always want to have with you. In addition to superb image quality, the FinePix 30i offers movie recording with sound, an MP3 music player and audio recording as well as voice captioning capability in a smart and sleek design.




Actual size

MP3 music playback function



The FinePix 30i is also an MP3 player allowing up to 4.5 hours of listening with two Ni-MH AA batteries. You can listen to your favorite songs simply by storing music data from CDs or from the Internet via your computer on to a SmartMedia™ card (with ID protection) that you can insert into your camera. Up to 160 minutes of MP3 music may be stored on a 128MB card. The FinePix 30i is capable of displaying the titles of music stored on cards on the camera's LCD. It is also possible to delete all the stored music tracks at once or one track at a time.

Creating and downloading MP3 files




The FinePix 30i comes with two applications (RealJukebox 2 Plus™ for Windows® and MacMP3 for Macintosh®) for creating MP3 files from audio CDs or downloading them from web sites.

Easy operation using the remote controller

The FinePix 30i comes with a wired stereo headphone set equipped with a stylish remote controller to make it even easier to enjoy the MP3 music you have recorded. During playback, you can view the music title and artist's name on the remote control's LCD. When using as a digital camera, you can also use the remote control to take and play back images.

- ① Track No./ Volume/ Number of remaining shots/ Information display ② Audio mode icon ③ Text display ④ Battery charge indicator
⑤ Playback mode display ⑥ Mode display ⑦ BASS indicator



Actual size



The FinePix 30i has a movie recording capability, allowing you to capture movie images* with sound for up to 20 seconds per recording. The video clips are stored in a standard AVI Motion-JPEG format, and can be viewed on a computer using QuickTime™ 3.0 or later. Movies can be sent to friends as video e-mail.

* 320 × 240 pixels



Movie Recording

Audio Recorder

The FinePix 30i allows you to take up to 4.5 hours of audio recording*. In this mode, audio files are stored in WAV format on the SmartMedia™ card, and can be played back on the FinePix 30i itself or on your computer.

* When using a 128MB SmartMedia card and the AC power adapter.

Voice Captioning

The FinePix 30i is also provided with a convenient voice captioning function that adds an extra dimension to your images. This enables the camera to record up to 30 sec. of voice annotations after each shot is taken. The annotation is heard when reviewing the image.

Audio Recorder/ Voice Captioning

PC Camera